




EUROPEAN ELECTRIC FIREPLACE 2020 PRODUCT CATALOG



ABOUT US

Modern Flames was established in 2008 and has quickly become the innovative leader in contemporary electric fireplace design and technology. After pioneering the linear electric fireplace throughout North America, Modern Flames' brand has skyrocketed with many firsts to market which include; the first linear recessed electric fireplace, the first fully built-in electric fireplace, the first outdoor electric and now the first steam electric fireplace. Modern Flames' products have gained notoriety with architects, designers, builders and homeowners for its unbelievable life-like flame appearance,

ease of installation and affordable cost to the builder compared to wood and gas. With global movement into greener building and high efficiency products, Modern Flames' new FusionFire™ technology allows consumers to achieve the look of a fireplace without sacrificing the realism of a real fire. With a new corporate headquarters and expanded warehouse in Phoenix, Arizona, along with it's new steam technology, Modern Flames continues to be a leader in the electric fireplace industry. Modern Flames is innovating the industry standards of tomorrow.



CONTENTS

4-7 Landscape Pro Multi Series

Built-in Clean Face Electric Fireplace

8-11 Landscape Pro Slim Series

Electric Fireplace with Unique Frameless Design

12-15 Landscape FullView 2 Series

Electric Fireplace with Unique Frameless Design

16-17 ZCR2 Series

Electric Fireplace Insert

18-19 Ambiance CLX2 Series

Framed Recessed Wall Mount Electric Fireplace



LANDSCAPE PRO MULTI

The Most Versatile Electric Fireplace on the Market

- · MULTI SIZES: 44" 56" 68" 80"
- MULTI INSTALL DEPTHS: BUILT-IN CLEAN FACE PARTIAL 2x4 RECESS WALL MOUNT
- MULTI CONFIGURATIONS: SINGLE SIDED, LEFT CORNER, RIGHT CORNER & 3-SIDED (BAY)
- MULTI LIGHT CONTROL: FLAME COLOR, EMBER BED COLOR & DOWNLIGHTING COLOR
- MULTI LIGHT COLORS: FULL RGB COLOR SPECTRUM IN ALL LIGHTING FEATURES

Up to 12 different install configurations included standard in the box!

Choose a beautiful single sided installation or get creative and design the fireplace exactly how you want into the feature wall of your dreams.





New high intensity multi-color flame technology paired with matching up lighting and downlighting create the full customizable experience in the home.

Hundreds of different stunning color combinations to select from!

STANDARD FEATURES

LIGHTING

- ✓ Random, Beautiful Flame Image
- ✓ High Intensity RGB Flame Colors
- ✓ RGB Ember Bed Colors
- ✓ RGB Downlighting Colors
- ✓ Individually Contoled or Synchronized
- ✓ Full Color Spectrum in Each Light Feature
- ✓ Active Ember Bed

MEDIA

- ✓ Clear Acrylic Stone Media
- ✓ Black Smoke Acrylic Crystals
- ✓ Hand-Painted Canyon Driftwood Log Set – Highly Detailed Realism

HEAT

- ✓ Up To 10,000 BTU Heat Output
- ✓ Whisper Quiet Fan
- ✓ High Efficiency PTC Ceramic Heater

CONTROLS & FUNCTIONS

- ✓ Basic Features Manual Controls
- ✓ Full Feature Remote Control RGB Color Wheel Brightness Slide Bar
- ✓ Full Feature Modern Flames App

OPTIONAL CONTROL

✓ Wireless Thermostat & Full Wall Control

LIGHTING - INDEPENDENT COLOR CONTROL

FULL COLOR SPECTRUM FLAME, EMBER BED & DOWNLIGHTING







MEDIA - PREMIUM LOG SET STANDARD CANYON DRIFTWOOD LOG SET, SMOKE GLACIER CRYSTALS & CLEAR STONES



HEAT - 5,000 - 10,000 BTU

120V & 240V HIGH EFFICIENCY CERAMIC HEATER



FLAMES & LIGHTING 1500 WATT HEATER
15 WATTS 120V 5,000 BTU
NO HEAT UP TO 400 SQ FT



3000 WATT HEATER 240V 10,000 BTU UP TO 800 SQ FT



Landscape Pro Multi Fireplaces are equipped with adjustable heaters controlled by remote or phone app. Wall tether has thermostat controls.




STANDARD CONTROLS REMOTE CONTROL & MANUAL CONTROL






UPGRADE CONTROL


WIRELESS WALL TETHER WITH THERMOSTAT CONTROL




MULTI INSTALLATIONS - UP TO 20 DIFFERENT CONFIGURATIONS

- BUILT-IN/ CLEAN FACE INSTALLATION
- WALL MOUNT INSTALLATION
- PARTIAL RECESS INSTALLATION (2x4 WALL)
- FLOATING WALL CABINET
- FLOOR CABINET
- SINGLE SIDED
- LEFT CORNER
- RIGHT CORNER









SINGLE SIDED

LANDSCAPE PRO MULTI DIMENSIONS (SEE DRAWINGS AT RIGHT)

MODEL & CONFIGURATION			VIEWING AREA		FIREBOX DIMENSIONS					
		A		С	D					1
MODEL#	CONFIGURATION	FRONT GLASS WIDTH	SIDE GLASS WIDTH	GLASS HEIGHT	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH	BOTTOM TO VIEWING	TOP TO VIEWING	BACK TO VIEWING
LPM-4416	SINGLE SIDED	1115	-	394	1118	632	292	115	115	-
	CORNER (L/R)	1115	127	394	1118	632	292	115	115	105
	3-SIDED (BAY)	1115	127	394	1118	632	292	115	115	105
LPM-5616	SINGLE SIDED	1420		394	1423	632	292	115	115	-
	CORNER (L/R)	1420	127	394	1423	632	292	115	115	105
	3-SIDED (BAY)	1420	127	394	1423	632	292	115	115	105
LPM-6816	SINGLE SIDED	1725	-	394	1728	632	292	115	115	-
	CORNER (L/R)	1725	127	394	1728	632	292	115	115	105
	3-SIDED (BAY)	1725	127	394	1728	632	292	115	115	105
LPM-8016	SINGLE SIDED	2029	-	394	2032	632	292	115	115	-
	CORNER (L/R)	2029	127	394	2032	632	292	115	115	105
	3-SIDED (BAY)	2029	127	394	2032	632	292	115	115	105





LANDSCAPE PRO SLIM SERIES

Built-in Clean Face Electric Fireplace

The Landscape Pro Slim built-in electric fireplace is the perfect option for any consumer looking to build in an electric fireplace into any 2 x 6 framed wall. This new Slim model in the Landscape Series features a unique frameless design for a true edge to edge viewing area. A new relocated top mount heater allows for a larger viewing area and new LED light technology give this Slim model a crisp multi-color flame. The Landscape Pro Slim features a 5000 BTU heater, Remote & wireless wall tether control & 4 convenient sizes (44", 56", 68" & 80")



STANDARD FEATURES

12 Different Flame & Ember Bed Color Options



Back Flame & Ember Bed Controlled Independently or Together



2 Different Ember Bed Stone Styles



Full Flame Viewing Area



Fully Finished Clean Face Installation



Finish Trim Kit Included



5,000 BTU Variable Heater



Variable Flames



Remote Control




Wireless Tether Controls

LANDSCAPE PRO SLIM SERIES

Fireplace Available in 4 Standard Widths










LANDSCAPE PRO SLIM Dimension Specs

LANDSCAPE PRO SLIM DIMENSIONAL SPECS

MODEL#	А	В	С	D	E	FRAMING (WxHxD)
LPS-4412/INT	345	1118	153	607	1131	1143 W x 616 H x 140 D
LPS-5612/INT	345	1423	153	607	1436	1448 W x 616 H x 140 D
LPS-6812/INT	345	1728	153	607	1740	1753 W x 616 H x 140 D
LPS-8012/INT	345	2032	153	607	2045	2058 W x 616 H x 140 D

LANDSCAPE PRO SLIM 56" DIMENSIONAL DRAWING SHOWN







LANDSCAPE FULLVIEW 2 SERIES

Built-in Clean Face Electric Fireplace


The Landscape FullView 2 built-in electric fireplace is the first of its kind creating a perfect substitute for a linear gas fireplace. This unique frameless design allows for edge to edge flame presentation as well as unlimited surround capabilities. Available in 5 different lengths for any application as well as 3 customizable flame bed options for different fit and finishes. An optional 2 stage heater is also included for supplemental heat up to 450 square feet.



STANDARD FEATURES Realistic Natural Flame Appearance Orange/Blue Color Changing Flame Glowing Coal Ember Bed 5,000 BTU Heater Full Flame Viewing Area Fully Finished Clean Face Installation Affordable Alternative to Gas Can be Installed Beneath a TV Cool to the Touch with Heat On or Off Remote Control Wall Tether Touch Screen Control

LANDSCAPE FULLVIEW 2 SERIES

Available in 5 Linear Widths with Orange or Blue Changeable Flames



Blue Flames shown with Standard Media - Standard & Dusted w/paint

Orange Flames shown with Standard Media - Standard & Dusted w/paint

MEDIA UPGRADES



LFV2-1000/400-AU with DWLS2-1000



LANDSCAPE FULLVIEW 2 SERIES

Technical Specs



Separate controls for on/off, variable heat and variable flame.

LFV2 TECHNICAL SPECS


MODEL#	VOLTS	WATTS	BTU's	FRAMING (ROUGH OPENING)	INSTALLATION TYPE
LFV2-1000/400- AU	AC 220V / 50Hz	1,530	5000	1420 L x 305 D x 585 H	Built-In Clean Face
LFV2-1500/400- AU	AC 220V / 50Hz	1,530	5000	1925 L x 305 D x 585 H	Built-In Clean Face
LFV2-2000/400- AU	AC 220V / 50Hz	1,550	5000	2435 L x 305 D x 585 H	Built-In Clean Face
LFV2-2500/400- AU	AC 220V / 50Hz	1,600	5000	2940 L x 305 D x 585 H	Built-In Clean Face
LFV2-3000/400- AU	AC 220V / 50Hz	1,600	5000	3450 L x 305 D x 585 H	Built-In Clean Face




TOUCH SCREEN TECHNOLOGY

Touch control panel can be wall mounted within ten feet of the fireplace. The 3 stacked icons (in order) operate the power, heat (on/off) and light intensity. Hold the light intensity for five seconds to change the flame color from orange to blue. All touch controls fade to black after 4 seconds.

LFV2-1500/400-AU DIMENSIONAL DRAWING SHOWN





LFV2 DIMENSIONAL SPECS (SEE DRAWING AT LEFT)

MODEL#	А	В	С	D	Е	F
LFV2-1000/400-AU	385	1000	295	572	1420	1455
LFV2-1500/400-AU	385	1500	295	572	1925	1963
LFV2-2000/400-AU	385	2000	295	572	2435	2471
LFV2-2500/400-AU	385	2500	295	572	2940	2879
LFV2-3000/400-AU	385	3000	295	572	3450	3487



ZCR2 INSERT

Electric Fireplace Insert

The ZCR2 Series is specifically designed to insert into an existing 30" - 42" wood burning fireplace and provide a beautiful and economical substitute to a gas log set or gas insert. Simply run power to your fireplace & insert the ZCR2 into the firebox without the need of screws or attaching hardware. The ZCR2 comes standard with new canyon driftwood logs & contemporary glacier glass for a traditional or contemporary look. A standard 4800 BTU five different trim options to fit a plethora of unique firebox openings.


heater & touch screen controls with a remote are all included. Finish off the ZCR2 with one of **OPTIONAL TRIM KITS**


Trim Kit: TK-ZCR2-3222



Trim Kit: TK-ZCR2-4326

ZCR2 DIMENSIONAL DRAWINGS





REMOTE CONTROL

Separate controls for on/off variable heat and variable flame.

STANDARD FEATURES

Realistic Flame Appearance



Easy Access Push Button controls



1400 Watt /4800 BTU Heater



Fits into Existing Zc Fireboxes



Glowing LED Canyon Juniper Log Set



3 Stage Flame Brightness



Can be Installed Beneath a TV



Remote Control

17

AMBIANCE CLX2 SERIES

Recessed or Wall Mount Electric Fireplace


The popular Ambiance CLX2 electric fireplace offers the ultimate combination of versatility and design. This award winning, upgraded product series has an improved look offering simple customization. The Ambiance CLX2 features a NEW color changing orange to blue flame for year-round use, a thermostat for setting that ideal temperature and includes 2 styles of media for 2 distinctive looks: coals and glacier diamond glass. Four unique surround options offer the ultimate customization: stainless steel, black stainless steel, flat white metal & matte black metal. The 1150 and 1500 sizes are the perfect addition to any room in the home.



STANDARD FEATURES Recessed or Wall Mount Installation Color Changing Orange to Blue Flame Media - Coals & Glacier Glass (Included) Low Energy LED Flame Technology Unsurpassed Realistic Flame Pattern Hi-tech Touch Screen Controls New Sleek Remote Can be Installed Beneath a TV Variable Heat with Thermostat Variable Flame Controls 240 Volt Direct Plug-in Do it Yourself Installation Instructions

AMBIANCE CLX2 SERIES

4 Linear Widths with More Ways to Customize



STANDARD FEATURES INCLUDED: COAL & GLACIER GLASS EMBER BEDS







Orange Flames with Standard Glacier Glass Ember Bed




Blue Flames with Standard Glacier Glass Ember Bed

NEW REMOTE CONTROL Separate controls for on/off, variable heat and variable flame.



TOUCH SCREEN TECHNOLOGY A user-friendly series of touch controls operate power, heat (on/off) and light intensity. All touch controls fade to black after 4 sec.

AL1500CLX2 DIMENSIONAL DRAWING SHOWN



CLX2 TECHNICAL SPECS

MODEL#	VOLTS	WATTS	BTU's	FRAMING (FINISHED OPENING)	INSTALLATION TYPE
AL1150CLX2-G	AC 220V / 50Hz	1,520	5,000	762 L x 496 H x 102 D	Recessed / Wall Mount
AL1500CLX2-G	AC 220V / 50Hz	1,530	5,000	1143 L x 496 H x 102 D	Recessed / Wall Mount
AL2000CLX2-G	AC 220V / 50Hz	1,550	5,000	1651 L x 496 H x 102 D	Recessed / Wall Mount
AL2500CLX2-G	AC 220V / 50Hz	1,570	5,000	2159 L x 496 H x 102 D	Recessed / Wall Mount

CLX2 DIMENSIONAL SPECS (SEE DRAWING AT LEFT)

MODEL#	Α	В	С	D	E	F	G
AL1150CLX2-G	254	686	131	743	489	1150	648
AL1500CLX2-G	254	1067	131	1124	489	1500	648
AL2000CLX2-G	254	1575	131	1632	489	2000	648
AL2500CLX2-G	254	2083	131	2140	489	2500	648



Modern Flames Europe

ModernFlames.EU

Energigatan 4, 434 37 Kungsbacka, Sweden

Phone: +46 762 09 58 09

Email: Sofia@ModernFlames.com

Inc. 500









INNOVATING THE INDUSTRY STANDARDS OF TOMORROW